



HP 60155

A4 Multi Function Printer
Up to 55 ppm

oxbow



HP 60155 Specifications

This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security. This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 175 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 8.2 seconds.
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

Pages, Performance, and Protection

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.



1. Hardware Integration Pocket1
2. 4.3-inch (10.9 cm) color graphics display with touchscreen
3. Easy-access USB port2
4. 100-sheet multipurpose tray 1 supports media sizes up to 8.5 x 14 inches (216 x 356 mm)
5. Automatic two-sided printing
6. Rear door (for jam access)
7. 550-sheet input tray 2 supports media sizes up to up to 8.5 x 14 inches (216 x 356 mm)
8. 500-sheet output bin
9. Cartridge door release button (access to toner cartridge)
10. Host USB port
11. Gigabit Ethernet network port
12. Hi-Speed USB 2.0 printing port
13. Slot for cable-type security lock

HP 60155

Specifications

Top features

- Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.
- With speeds up to 55 pages per minute, 3 fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.
- Help protect your printer using Original HP Toner cartridges with JetIntelligence.

Series at a glance

Product number	3GY09A
Print speed (Letter/A4) ³	Up to 55/52 pages per minute (ppm)
Control panel	4-3-inch (10.9cm) colour graphics display with touchscreen
Managed cartridge yields (black/color)	Black : 50,000 pages
Recommended monthly page volume (RMPV)	5,000 to 30,000 pages

Accessories

LOH17A	HP LaserJet 550-Sheet Paper feeder
LOH18A	HP LaserJet 2100-Sheet Paper feeder
LOH19A	HP LaserJet Printer Stand
LOH20A	HP LaserJet Stapler/Stacker/ Mailbox
LOH21A	HP Envelope Feeder
LOH22A	HP Extension Tray Cover
B5L28A	HP Internal USB Ports
B5L29A	HP Secure High Performance Hard Disk Drive
J8031A	HP Jetdirect 2900nw Print Server
G6W84A	HP 1 GB 90-Pin DDR3 DIMM
2MU47A	Accessibility Assistant
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
3JN69A	HP JetDirect 3100w BLE/NFC/Wireless Accessory
2NR12A	HP Removable Hard Drive Enclosure
X3D03A	HP USB Universal Card Reader
Y7C05A	HP HIP2 Keystroke Reader
4QL32A	HP Logic Reader

Services

U9MX7E	HP 5 year Next Business Day HW Support w/DMR for LaserJet
U9MY0E	HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet
U9MY3E	HP 5 year NBD Parts Exchange Service for LaserJet HP 2 year Post Warranty Next Business Day HW Support w/DMR for LaserJet Enterprise
U9MY5PE	HP 2 year Post Warranty 4 hour 9x5 HW Support w/DMR for LaserJet Enterprise
U9MY7PE	HP 2 yr Post Wty NBD Parts Exchange Service for LaserJet Enterprise

Print

Print Speeds	Letter: Up to 55 ppm black; First Page Out Black (ready): As fast as 5.0 sec; First Page Out Black (sleep): As fast as 8.2 sec
Print Resolution	Black (best): Up to 1200 x 1200 dpi
Print Technology	Laser; Print Resolution Technologies: FastRes 1200; 1200 x 1200 dpi
Print Cartridges Number	1 (black)
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Printer management / HP SureSupply	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)

HP 60155

Specifications

Connectivity

Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket Network Capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC /Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A
Mobile Printing Capability	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM capable for easy printing
Memory	Standard: 512 MB; Maximum: 1.5 GB MAX memory, when Accessory DIMM is installed Processor Speed 1.2 GHz / Hard disk: Optional, 500 GB minimum encrypted hard disk drive Duty Cycle Monthly, letter: Up to 375,000 pages ¹ ; Recommended Monthly Page Volume: 5000 to 30,000 ¹²
Processor speed	1.2 GHz / Hard disk: Optional, 500 GB minimum encrypted hard disk drive
Duty Cycle (monthly)	Monthly, letter: Up to 375,000 pages; Recommended Monthly Page Volume: 5000 to 30,000

Paper Handling

Input	100-sheet multipurpose feeder, 550-sheet input feeder; Up to 650 sheets standard labels legal
Output	500 sheet output bin; Up to 500 sheets standard labels legal
Duplex Options	Automatic
Envelope feeder	Yes, 75
Standard paper trays	2
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope
Media weight	Tray 1: 16 to 53 lb; Tray 2: 16 to 32 lb
Media sizes	Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No.10, Monarch); Tray 2: letter, legal, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 2100-sheet tray: letter, legal; Optional 75-envelope feeder: No. 9, No. 10, Monarch; Automatic Duplexer: letter, legal, executive, 8.5 x 13
Media Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2 3.9 x 5.8 to 8.5 x 14 in; Optional 550-sheet tray: 3.9 x 5.83 to 8.5 x 14 in; Optional 2100-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 3.55 x 5.83 to 7 x 10
Dimensions (w x d x h)	W x D x H: 17 x 18.3 x 15 in; Maximum: 17 x 40.9 x 17.8
Weight	47.51 lb ³
What's in the box	HP Color LaserJet Printer; HP Original LaserJet Toner Cartridge (toner cartridge installed); Documentation (Hardware Install Guide); Power cord; Fixed-Size Cassette Guides ²
Replacement cartridges	HP Black Managed LaserJet Toner (50, 000 pages) W9004MC
Energy efficiency compliance	EPEAT® Silver; ENERGY STAR® qualified
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Win
Compatible operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, "Citrix Ready Kit Certification - Up to Citrix Server 7.18
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; MAC: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com
Power	Power Requirements: Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-), 6 A; Power Consumption: 780 watts (printing), 15.3watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off) ⁴ ; Typical Electricity Consumption (TEC) number: ES: 2.131 kWh/week; BA: 1.971 kWh/week ⁵ ; Best Technical Electricity Consumption (TEC):1.971 kWh/week ⁶
Operating environment	Operating Temperature Range: 50 to 90.5°F; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 104°F; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH

